

ADITI INDUSTRIES

KALIABOR, HATIGAON

NAGAON, ASSAM-782137




Pollution Control Board:: Assam Bamunimaidam; Guwahati-21

(Department of Environment & Forests :: Government of Assam)

Phone: 0361-2652774 & 2550258; Fax: 0361-2550259

Website: www.pcbassam.org



No. WB/TEZ/Pl-I/T-1127/10-11/26

148

Dated Guwahati, the 11th, April, 2022

"CONSENT TO OPERATE"

"CONSENT TO OPERATE" (CTO) under Section 25 of Water (Prevention & Control of Pollution) Act, 1974 and Section 21 of Air (Prevention & Control of Pollution) Act, 1981 as amended and Rules Framed thereunder is granted to:

- i) Name of unit : M/s Aditi Industries.
- ii) Name of the Occupier / Applicant and Designation : Shri Rohit Agarwal, Partner.
- iii) Address of unit : NH- 37, Kuwarital, Nagaon, Assam 782137
- iv) Cost of the project : 523.6 Lakhs
- v) Types & Category of the Project : Cement factory (Red Category)
- vi) Details of Raw materials:

Sl. No	Raw Materials	Quantity/Capacity
1	Clinker	217 MT/Day
2	Fly ash	93 MT/Day

- vii) Details of Products

Sl. No	Products	Quantity/Capacity
1	PPC Cement	308 MT/Day

- viii) D.G. Set : 1x125 KVA

TERMS AND CONDITIONS:

1. The Consent to Operate (CTO) has been accorded based on the particulars furnished by the applicant vide Application ID: **852411** and subject to addition of further or more conditions if so warranted by subsequent developments. The CTO will automatically become invalid if there is any changes, modification, alteration, expansion or deviation made in actual practice.
2. The CTO is valid for a period up to **31.03.2023**.
3. The CTO may be modified, suspended in whole or in part or withdrawn by the Board during its term for cause including, but not limited to the following:
 - a) Violation of any Terms and Conditions of this CTO;
 - b) Obtaining the CTO by misrepresentation or failure to disclose fully all relevant facts.
 - c) If genuine complaint received.
4. For any expansion, alteration, modification, modernization of the project or products, the unit shall obtain prior 'Consent to Establish' from the Board.
5. The project authority should install a Display Board as per the Board's notification no. PCBA/LGI-95/2021/Notification/01 dtd.11.11.2021 (Copy enclosed as Appendix-A)
6. Proper housekeeping shall be maintained. Burning of any waste within the premises is strictly prohibited.
7. The project proponent must develop a greenbelt/plantation area with native trees covering atleast 33% of the total plot area.
8. Permission of the Central Ground Water Authority shall be obtained for extraction of Ground Water if applicable.
9. Rain water harvesting facility shall be installed and maintained.

Contd. P. 2

13/4/22

10. As per the provisions of the Water (Prevention and Control of Pollution) Act, 1974 as amended and the Air (Prevention and Control of Pollution) Act, 1981 as amended any Officer empowered by the Board on its behalf shall have without interruption, the right at any reasonable time to enter the unit for inspection, collection of sample for analysis and may call for any information as deemed necessary. Denial of this right will cause withdrawal of the Consent Order.

11. The unit shall apply for renewal of CTO before 90 days from the date of expire. The Board has decided to renew CTO for five (5) years, if the project proponent submits application with due payment of CTO fees for entire period

Specific Conditions:

A. Air Aspects:

1. The unit shall comply with the standards and guidelines for control of noise pollution from stationary Diesel Generator (DG) set as attached in Appendix-B.
2. The industry shall comply the National Ambient Air Quality Standards as per Schedule VII under Rule, 3 (3B) of the Environment (Protection) Rules, 1986 as Notified by CPCB vide No. B-29016/20/90/PCI-I dtd. 18.11.2009 (copy enclosed as Annexure-C), especially for PM_{10} & $PM_{2.5}$.
3. The industry shall comply with the ambient noise level standards, notified by MoEF&CC, Govt. of India vide GSR 7, dated Dec.22, 1998, as mentioned herein under:

Limit in dB (A) Leq	
Day Time (6:00am-10:00pm)	Night Time (10:00pm-6:00am)
75	70

4. The Industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.

B. Water Aspects:

1. Source of Water(Ground/Surface): Ground Water
2. i) Water Consumption: 8.00 KL/day
ii) Effluent generation: 4.00 KL/day
iii) Effluent recycled : Nil
3. The discharge of effluent from the effluent treatment system shall meet with general effluent discharge parameter standards as per G.S.R.422 (E) dated 19.05.1993 as (Appendix-D).
4. Storm water drains should be segregated from the industrial drains.
5. Storm water for a unit shall not be allowed to mix with effluent and/or floor washings.
6. Storm water within the battery limits of the unit shall be channelized through separate pipe passing through an oil & grease trap.

C. Solid Waste Aspects:

1. Adequate facility should be created for collection, storage, transportation, treatment & disposal of non-hazardous industrial solid waste generated from the Industry.
2. Adequate system should be adopted on reduction of waste generation and enhancement of re-utilization & recycling of waste material.
3. Solid waste generated in the unit shall be disposed of as per the provisions of Solid Waste Management Rules 2016.

D. Plastic Waste Aspects:

1. Plastic Waste generated in the unit shall be disposed of in accordance of the provisions under Plastic Waste Management Rules, 2016.
2. The unit shall submit the Annual Report under the Plastic Waste Management Rules, 2016 within 30th June every year.
3. The unit shall apply for Registration in Form-I under the Plastic Waste Management Rules, 2016 within One (1) month from the date of issue of this order, if applicable.

Contd... P 3

11/3/20



E. E-Waste Aspects:

1. Electronic wastes generated in the unit shall be disposed of as per the provisions of the Waste Management Rules, 2016.
2. The unit shall submit the Annual Report in the Form-III within 30th June every year

F. Hazardous Waste Aspects:

1. The unit shall obtain Authorization from the Board under Hazardous & Other waste (Management & Trans-boundary Movement) Rules, 2016.
2. The project authority shall comply with the provisions of the said Rules.
3. Adequate facilities shall be provided for collection and storage of spent oil, which shall be sent to registered recyclers for recycling.
4. The unit shall dispose of any other Hazardous Waste generated by the unit as per provisions of the Rules.
5. The unit shall identify and quantify all streams of Hazardous Waste generation as per Schedule-I and maintain proper record in Form-III of the Rules.
6. The unit should submit the annual return in Form-IV on or before 30th June every year.

The unit shall submit compliance report of the mandated conditions by April, 15, every year to Member Secretary, PCBA as well as to the concerned Regional Office of the Board. The Board will have the liberty to withdraw the CTO if adequate pollution control and safety measures are not taken.

//
(Shantanu Kr. Dutta)
Member Secretary

Dated Guwahati, the 11th, April, 2022

Memo No. WB/TEZ/Pt-I/T-1127/10-11/26-A

Copy to:

✓ M/s. Aditi Industries, NH-37, Kuwarital, Nagaon, Assam-782137-for information & compliance of conditions.

শান্তনু ক্র. দত্ত
(Shantanu Kr. Dutta)
Member Secretary

9